NANETTE

vol. 74
50 cents

UNGER

No. M3977

brings you the world's most beautiful yarns

NANETTE CROCHETED OP ART SWEATER AND HAT

No. M3978

SIZES: Directions are for Size 10. Changes for Sizes 12, 14 and 16 are in parentheses.

MATERIALS: Unger's Nanette, 50 gram ball. Sweater: 6 (7-8-9) Brown (A) and 5 (6-7-7) Fuchsia (B). Hat: 2 A and 1 B. Size G and H aluminum crochet hook, **OR SIZE REQUIRED TO OBTAIN THE GIVEN STITCH GAUGE.** No. 5 knitting needles.

GAUGE: Size G hook: 7 sts = 2".

NOTE: Carry yarns loosely across wrong side of work to prevent drawing in.

SWEATER

BACK: With H hook and A ch 65 (69-73-77) loosely. **Row 1:** Hdc in 3rd ch from hook, hdc in each ch across 64 (68-72-76) sts. Ch 2, turn (Note: Ch 2 on turn is always counted as first hdc). **Row 2:** Hdc in each st. Ch 2, turn. Repeat Row 2 for pattern st, following chart. When 22 rows of chart are completed, change to G hook. Remainder of Back worked with G hook. Continue to repeat 22 rows of chart in pattern until 19" from beg, or desired length to underarm, ending with completion of a row on wrong side. **SHAPE ARMHOLES: Next Row:** Slip st across 4 sts, work in pattern to within 4 sts from end, 56 (60-64-68) sts. Dec 1 st each end of next 3 rows (to dec — yo pull up a loop in next st, retain 3 loops on hook, pull a loop in next st, yo pull through 2 loops, yo pull through remaining loops — 2 hdc worked off as one st) 50 (54-58-62) sts. Work even until armholes are 7¼ (7½-8-8¼)". Fasten off.

FRONT: Work same as for Back until armholes are 5 (5¼-5½-5¾)", ending on wrong side, 50 (54-58-62) sts. **SHAPE NECK: Next Row:** Work 19 (20-21-22) sts. Working on these sts only, at neck edge, dec 1 st every row 3 times, every other row twice, 14 (15-16-17) sts. Work even until armhole is same as Back. Fasten off. Leave out center 12 (14-16-18) sts, attach yarn and work across remaining 19 (20-21-22) sts. Work to correspond to other side.

SLEEVES: With G hook and A, ch 31 (33-35-37) loosely. **Row 1:** Hdc in 3rd ch from hook, hdc in each ch across. Ch. 2, turn. **Row 2:** Hdc in each st, 30 (32-34-36) sts. Start pattern, following chart. Work even 1½". Inc 1 st each end of next row, then every 2" for 7 times more (to inc — work 2 hdc in one st), 46 (48-50-52) sts. Work even until 17" from beg, ending on wrong side. **SHAPE CAP:** Next row: Slip st across 4 sts, work across to within 4 sts from end. Dec 1 st each end every row 12 (13-14-15) times. Fasten off.

LOWER RIB: BACK: With No. 5 needle, A and right side facing, pick up 107 (111-115-119) sts across lower edge. Work in K 1, P 1 ribbing for 5 rows. Bind off in ribbing. **FRONT:** Same as Back.

NECKBAND: Sew left shoulder seam. With No. 5 needles, A and right side facing, pick up 84 (88-92-96) sts around neck. Work in K 1, P 1 ribbing for 4". Bind off loosely in ribbing. Sew other shoulder seam and neckband. Fold in half to inside and sew in place.

FINISHING: Sew side and sleeve seams. Sew in sleeves. **DO NOT BLOCK.**

HAT

With G hook, start the same as for Size 10 back of Sweater. Work 1 complete repeat, starting with 2 rows A and ending 1 row A. Fasten off. Sew back seam. **EAR FLAP: LEFT FLAP:** Starting 1½" from back seam, work 19 hdc across towards front. Ch 2, turn. Continue in hdc, decreasing 1 st at end of every row until 7 sts remain. **Next row:** Dec 1 st at beg and end. Fasten off. **RIGHT FLAP:** Work as for Left Flap until 3 sts remain. Work even on 3 sts until desired length. **BUTTON-LOOP:** Ch 3, join to other side. Ch 1, turn, 3 sc under ch 3. Fasten off. Button: With B, sc over a plastic ring until completely covered. Sew a running st around outer edge, turn to inside, draw tog and sew. Sew to flap. With A, ch 4, hdc in 3rd ch from hook, hdc in last ch. Work hdc on 3 sts until band measures 2". Fasten off. Weave top of Hat tog. Stuff top with loose yarn to form a pompon (to about 3" below center top). Wind 3 hdc band around 3" below center top and sew to hold pompon in place.

NANETTE PANTS SUIT

Designed by Mady Gerrard

No. M3977

SIZE: Directions are for Small (8-10). Changes for Medium (12-14) are in parentheses.

MATERIALS: Unger's Nanette, 50 gram ball, 17 (19) balls. Size F aluminum crochet hook, **OR SIZE REQUIRED TO OBTAIN THE GIVEN STITCH GAUGE.** 1 yd. ¾" wide elastic.

GAUGE: 4 dc = 1". 2 rows of dc = 1"

Note: When working pattern, ch-1 is always counted as a st.

PANTS

LEFT LEG: Ch 62 (66) loosely (waistline). **Row 1:** Dc in 4th ch from hook, * dc in next ch; repeat from * across, 60 (64) dc including turning ch. Ch 3, turn. **Row 2:** Ch 3 on turn is counted as first st, dc in each st across row, 60 (64) dc including turning ch. Ch 3, turn. Repeat Row 2 for pattern. Piece should measure 15 (16)" across. Work even until 8 rows from beg are completed. **Row 9:** Inc 1 st each end of row (to inc-work 2 dc in one st), 62 (66) sts. **Row 10 and 11:** Work even in pattern. **Row 12:** Inc 1 st each end, 64 (68) sts. **Rows 13 and 14:** Work even in pattern. **Row 15:** Inc 1 st each end, 66 (70) sts. **Rows 16 and 17:** Work even in pattern. **Row 18:** Inc 1 st each end, 68 (72) sts. **Rows 19 and 20:** Work even in pattern. **Row 21:** Inc 1 st each end, 70 (74) sts. Work even 2 rows, or desired length to crotch, 11½ from beg to crotch. **SHAPE CROTCH:** At end of last row, ch 13 loosely (back edge). **Row 24:** Dc in 4th ch from hook, dc in each of remaining 9 chs (an inc of 11 sts including turning ch), work across row; then with another ball of yarn, attach and ch 8 loosely and fasten off, work 8 dc across ch to complete row, 89 (93) sts. Ch 3, turn. Work even for 3 rows in pattern. **Next row:** Dec 1 st each end (to dec — yo and pull a loop in next st, pull up a loop in next st (4 loops on hook), yo pull through 2 loops, yo pull through 3 loops (2 sts worked off as 1 st). Repeat last dec row every row until 73 (77) sts remain. **Next row:** Dec 1 st in center of row, 72 (76) sts. Work even until 28" from beg, or desired length from waistline, allowing for an 11" cuff. Join with a slip st. Fasten off.

CUFF: Row 1: Attach yarn in 37th (39th) st, ch 4, skip 1 st, dc in next st, * ch 1, skip 1 st, dc in next st; repeat from * **around,** 36 (38) eyelets. Ch 3, turn. **Row 2:** Ch 3 on turn is counted as first dc, dc back in same st as starting ch, for medium size only, dc in space, dc in dc; * (dc in space under ch-1, dc in next st) 3 times, ch 1, skip ch-1, dc in next st; repeat from *, end last repeat (dc in space, dc in next st) 3 times, for small, dc in last space, for medium, dc in space, dc in dc, dc in space. Ch 3, turn. **Row 3:** Ch 3 is first dc, dc in next 7 (9) sts, * ch 1, skip ch-1, 1 dc in next 7 sts; repeat from *, end last repeat 1 dc in last 8 (10) sts. Ch 3, turn. **Row 4:** Ch 3 counted as first st, 1 dc in next 3 (5) sts, * ch 1, skip 1 st, 1 dc in next 3 sts, ch 1, skip ch-1, 1 dc in next 3 sts; repeat from *, end 1 dc in last 4 (6) sts. Ch 3, turn. **Row 5:** Repeat Row 3. **Row 6:** Repeat Row 3 in-

No. M3979

creasing 2 sts at each end (to inc 2 sts — 2 dc in one st, then 2 dc in next st). Repeat Rows 1 through 6 for pattern, always working 2 st inc at each end of Row 6 and working in pattern on increased sts for 3 times more. Fasten off.

FINISHING: Work 3 rows of sc around lower edge and side opening, always chaining 1 to turn and working 3 sc in each corner. Fasten off. Overlap sc at top edge of cuff and tack.

RIGHT LEG: Work to correspond to Left Leg, reversing all shaping and making sure cuff opening is on the outside. Sew front, back, crotch and inner leg seams. Cut elastic to waist measurement and sew ends tog. Fold 2 rows at waist edge over elastic to wrong side and sew.

TOP

BACK: Ch 75 (81) loosely. Work pattern. **Row 1:** Dc in 4th ch from hook, 1 dc in each of next 2 (5) chs, * ch 1, skip 1 ch, 1 dc in each of next 7 chs; repeat from * across, end last repeat 1 dc in last 4 (7) chs. Ch 3, turn. **Row 2:** Ch 3 on turn is counted as first dc, 1 dc in next 3 (6) sts, * ch 1, skip ch-1, 1 dc in next 7 sts; repeat from *, end last repeat 1 dc in last 4 (7) sts. Ch 3, turn. **Row 3:** Ch 3 counted as first dc, 1 dc in next 3 (6) sts, * ch 1, skip ch-1, 1 dc in next 3 sts, ch 1, skip 1 st, 1 dc in next 3 sts; repeat from *, end last repeat 1 dc in last 4 (7) sts. Ch 3, turn. **Rows 4 and 5:** Repeat Row 2, ending ch 4 at end of Row 5. **Row 6:** Dc in next st, * ch 1, skip 1, dc in next st; repeat from * across, end 1 dc. Ch 3, turn. **Row 7:** Ch 3 counted as first st, 1 dc in next 3 (6) sts, * ch 1, skip ch-1, 1 dc in next 7 sts; repeat from * end 1 dc in last 4 (7) sts. Ch 3, turn. Repeat Rows 2 through 7 for pattern. Piece to measure about 17½ (19)" across in width. Work even until 20" from beg, or desired length to underarm ending with Row 6. Do not ch 3 to turn. **SHAPE ARMHOLES:** Slip st across first 5 sts, work to within 5 sts from end. Dec 1 st each end of next 3 (4) rows, 57 (61) sts. Work even until armholes are 7 (7½)". Fasten off.

FRONT: Work same as for Back to underarm, 73 (79) sts. **SHAPE ARMHOLE AND V-NECK:** At arm edge, slip st across 5 sts, work pattern for 31 (34) sts. Working on this side only, at arm edge, dec 1 st every row 3 (4) times, **at same time,** at neck edge, dec 1 st every row 12 (12) times, 16 (18) sts. Work even until armhole is same as for back. Fasten off. Skip center st, attach yarn in next st and work other side to correspond.

SLEEVES: Ch 59 (65) loosely. Work pattern st as for back, decreasing 1 st each end of Row 6 of patterns 2, 3, 4 and 5, 8 sts dec, 49 (55) sts. Work even until 15" from beg, ending with same pattern row as at underarm of Back. **SHAPE CAP:** Slip st across 5 sts, work to within 5 sts from end. Dec 1 st each end of every row for next 12 (14) rows. Fasten off.

TIE: Ch 9. Row 1: Hdc in 4th ch from hook, 1 hdc in next 5 sts, 7 sts counting turning ch. Ch 3, turn. **Row 2:** Ch 3 on turn counted as first st, 1 hdc in next 6 sts. Ch 3, turn. Repeat Row 2 until 48", or desired length. Fasten off.

FINISHING: Sew shoulder seams (weave flat seams). Weave side seams leaving 11" free at each side at lower edge for side slits. Work 3 rows of sc along lower edge and side slits, working 3 sc at corners. Overlap sc at top of slits for 1" and tack, bringing front section over back. Work 1 row of sc around neck edge, making sure work lies flat. Fold tie in half and sew to neck edge, leaving ends free for knot and streamers. Weave sleeve seams. Work 3 rows of sc around sleeve edges. Sew in sleeves.

NANETTE CROCHETED JUMPER DRESS

No. M3979

SIZES: Directions are for Small (8-10). Changes for Medium (12-14) are in parentheses.

MATERIALS: Unger's Nanette, 50 gram ball, 8 (9) balls. Size G and H aluminum crochet hook.

GAUGE: Size G hook: 3 bud patterns = 2".

ABBREVIATIONS: QUINTUPLE CROCHET (qt): Yo needle 4 times, pull up a loop in st, (yo and pull through 2 loops) 5 times. **QUINTUPLE SHELL:** 2 qt, ch 3, 2 qt in same st.

PATTERN STITCH: Rnd 1: Ch 3, * yo and pull up a loop in next st, yo pull through 2 loops, retain 2 loops on hook, (yo pull up a loop in same st, yo pull through 2 loops) twice, 4 loops on hook, yo pull through 4 loops, ch 1 (bud st), skip 1 st; repeat from * around. Join with a slip st. **Rnd 2:** * Sc in bud st, sc in ch; repeat from * around. Join with a slip st.

Yoke: With H, hook, ch 92 (100) loosely. Join to form a ring. Be careful not to twist. Work 1 rnd of sc. Join with a slip st, 92 (100) sts. **Rnd 1:** Work Rnd 1 of pattern, 46 (50) bud patterns. **Rnd 2:** Work Rnd 2 of pattern: Repeat Rnds 1 and 2 for 4 times more. Change to G hook and work Rnds 1 and 2 twice, decreasing 3 sts evenly spaced on last rnd (to dec — pull up a loop in bud st, retain 2 loops on hook, pull up a loop in ch, yo pull through all loops), 89 (97) sts.

MIDRIFF: Rnd 1: Ch 7, * skip 3 sts, 1 qt shell in next st, ch 1, skip 3 sts, 1 qt in next st, ch 1; repeat from * around, end 1 qt last st. Join with a slip st in 6th ch of starting ch. **Rnd 2:** Ch 9, * 1 qt in first st of qt shell, 1 qt in 2nd st of qt shell, leaving last 2 loops remaining on hook, skip ch 3 of qt shell, 1 qt in next 2 sts of qt shell, leaving last 2 loops of each qt remaining on hook. (4 loops on hook), yo and pull through 4 loops on hook, ch 4, skip 1 st, 1 qt in qt, ch 4, skip 1 st; repeat from * around, end 1 qt in qt. Join in 6th ch of starting ch with a slip st.

SKIRT: Rnd 1: Work Rnd 1 of pattern st, working 55 (60) bud patterns. **Rnd 2:** Work Rnd 2 of pattern. Work even in pattern st until completion of 5th bud rnd. **Next Sc Rnd:** Inc. Rnd. Work in sc, increasing 1 sc in sides between 14th and 15th bud and 40th and 41st bud. **NEXT BUD RND:** Work a bud in the extra sc, but do not work 3 times into st, only twice (narrow bud). Note: It is only after the inc rnd that you work a narrow bud in the increased st, then work a regular bud as you continue the pattern. Work even in pattern until there are 19 bud rnds for length of skirt, working an Inc Rnd as explained above on the 9th, 13th and 17th sc rnd, 63 (68) buds. Fasten off.

BACK ARMHOLE AND SHOULDER STRAPS: Fold dress so joining is at center back. On Yoke, place a marker at each side edge so there are 23 (25) buds for Back and 23 (25) buds for Front (make sure joining is at center back). Skip 1 complete bud pattern from side marker for underarm, attach yarn and with G hook work until there are 21 (23) bud patterns across, leaving off 1 pattern at other side for underarm. Ch 1, turn. **Next row:** Work a sc row as always after a bud row. Ch 3, turn. Next 2 rows: Work pattern even. **RIGHT BACK SHOULDER STRAP:** Work 3 bud patterns, dc in next st, skip 1 st, dc in next st. Ch 1, turn. **Next Row:** Sc in next dc, sc across row. Ch 3, turn. **Next row:** Work 3 bud patterns, end 1 dc in end st. Ch 1, turn. Continue to work even on 3 bud patterns with 1 dc at neck edge until entire armhole is 7 (7½)". Fasten off. **LEFT SHOULDER STRAP:** Attach yarn in 9th st from other armhole edge. Ch 3 and work to correspond to Right Shoulder Strap. **FRONT:** Work to correspond to Back.

FINISHING: Weave shoulder straps. **DO NOT BLOCK.**



Unger features many up-to-the-minute Nanette garments in the following leaflets:

ON THE GO ..... Vol. 41 — $1.25
FOR YOUR KNITTING PLEASURE ..... Vol. 51 — 25 cents
UNGER PLAID ..... Vol. 53 — 25 cents
NANETTE ..... Vol. 59 — 30 cents
MINI — MAXI ..... Vol. 67 — 25 cents
PONCHOS ..... Vol. 70 — 50 cents
TOTAL LOOK ..... Vol. 72 — 50 cents
NANETTE ..... Vol. 74 — 50 cents
NANETTE ..... Vol. 77 — 35 cents

UNGER

William Unger & Co., Inc.
230 Fifth Avenue, New York City
California Mart, 110 East Ninth St., Los Angeles, Calif.
Dallas, Chicago

We have made every effort to present accurate directions for each model in this book. However, we cannot be responsible for typographical errors or for variations in the work of individual knitters.

EDITOR: MIRIAM GREENFIELD
ASST. EDITOR: ANDREE RUBIN

Copyright 1970

No. M3978